

技 术 要 求


1.

2. 30 / 480 /

3.

4. 6-13.7


5. 10-36V



2


1

2min



1

1.1



1.2

12 350 1200mm 1 1.2mm

2

2.1

2.1.1

2.2

2.2.1


2.2.2

2.2.3

1

380V

25.5V



2.3

2.3.1


SE125*200

6000N


0.6MPa

2.3.2

2.3.3



2.3.4



2.4

2.4.1

2.5

2.5.1



2.5.2

2.5.3

2.5.4



2.5.5



2.6

2.6.1

2.6.2

- 3.1 350mm 1200mm 20mm
20mm
- 3.2 2500mm 12000mm
- 3.3 1mm/1000mm
- 3.4 2600mm
- 3.5 280mm
- 3.6 80 120
- 3.7 0-180s ()
- 3.8 6000N
- 3.9 160KVA
- 3.10 1900mm-2600mm 2700-4200mm 6000-13700mm
- 3.11 4400mm
- 3.12 30 / .
- 3.13 6-13.7
- 3.14 14500mm 6000mm 5600mm

4

1				1		
2				2		
3		SE125*200		2		
4		GC400-15		1		
5		4HV430-15L		2		
6				1		
7		WPWDS80-60-C		1		1.5kw
8		16A		2		
9				1		

10		≥ 200Kg		4		
11		1T		4		
12		GDF6000A		1		
13		120mm ²		1		
14				1		

5

1		SE125*200		
2		GC400-15		
3		4HV430-15L		
4		16A		
5		UCP207		
6		WPWDS80-60-C		1.5kw
7		6305-2z		
8		GDF6000A		
9		≥ 200kg		
10		MPS-224TSNPO P/N 1053841 2407	SICK	

1	PLC	DVP32ES2		
2		DOP107		
3		C65N-32-3P		
4		EZD-400A		
5		XB2BVB4LC		
6		XB2BA42C		
8		XB2BS542C		
9		RXM4AB2BD		
10		XB2BS542C		
11		220/24-120W		

1

1 150A

2

2

5

3

3

4

5

€

