

2026 06 15

1	3
2	4
3	4
4	5
5	12
6	13
7	16
8.	17
9	18
10	19

1

1.1

1.2

1.3

1.4

1.5

1.6

,

1.7

1	JT/T 635-2025
2	GB/T 15706-2019
3	GB 5226.1-2019
4	GB/T 3811-2008
5	JB/T 8906-2018
6	GB/T 7932-2017
7	GB/T 8196-2018
8	GB/T5711-1995
9	GB50231-98

1.8

2

2.1

2-1

4

4

4.1

4.1.1

KS KS2 KS2N KV KS2L P7 V8



6 /

4.1.2


NO.			mm		N.m	mm			
1	KS		114.3	5	120 ± 12	1020	21	195/70R15C	
2			114.3	5	120 ± 12	1020	21		
3	KS2/ KS2N/ KV		139.7	6	140 ± 14	1150	21	195R15C 195R15LT	KS KS2
4			139.7	6	120 ± 12	1150	21		
5	KS2L		130	6	240 ± 24	1150	19	225/65R16LT 215/75R16LT	KS2 KS2L
6			130	6	180 ± 18	1150	19		
7	P7/V8		120	5	180 ± 18	1070	21	195/75R16LT	

4.2

4.2.1



4.2.2



1		
2	Q235a	
3	200 × 200 × 5	400 × 400 × 20
4	H	250 × 250 × 9 × 14


20a

6

7

8

4.2.3



4.3

4.3.1

4.3.1.1

T

4.3.1.2

4.3.1.3

4.3.1.4

4.3.1.5

()

5-10mm

4.3.1.6

4.3.1.7 40Kg

4.3.1.8

0.4-0.6MPa AC220/380V

4.3.1.9

4.3.1.10

4.3.1.11

4.3.1.12

4.3.1.13 12.25 6

/

4.3.1.14 DP12

4.3.1.15

4.3.1.16

4.3.1.17

4.3.1.18

4.3.1.19

4.3.1.20 Y

Y

4.3.1.21 ≤ 65dB(1m)

4.3.2

4.3.2.1

4.3.2.2

,

4.3.2.3

4.3.2.4

4.3.2.5

4.3.2.6

4.3.2.7

4.3.2.8

t

4.3.2.9

4.3.2.10 n

4.3.2.11

4.3.2.12

4.3.2.13 s

4.3.2.14

Φ 8mm

 ≥ 1.5

/

4

()

PLC

24V

4

“ ”

PLC

24V

4

“ ”

PLC

4.3.3.13

4.3.3.14

4.3.3.15

4.3.3.16

4.3.3.17

4.3.3.18

4.3.3.19

4.3.3.20

4.3.3.21 8

4.3.3.22

4.3.3.23 PLC

4.3.4

4.3.4.1

4.3.4.2

4.3.4.3

4.3.4.4

$\frac{3}{4}$

4.3.4.6

4.3.4.7

4.3.4.8

4.3.4.9

4.3.4.10

4.3.4.11

4.4

4.4.1

4.4.2

4.4.3

4.4.4

4.4.5

4.4.6

2 4

5

5.1 3%

5.2

5.3

6**6.1**

6.1.1

6.1.2

6.1.2.1

6.1.2.2

6.1.2.3

6.1.2.4

6.1.2.5

6.1.2.6

6.1.2.7

6.1.3

6.1.3.1

6.1.3.2

6.1.3.3

6.1.3.4

6.1.3.5

6.1.3.6

6.1.4

6.1.4.1

6.1.4.2

100 125 m

6.1.4.3

6.1.4.4

GB50231-98

6.2

6.2.1

6.2.2

6.2.3

6.2.4

6.2.5

6.2.5.1

6.2.5.2

6.2.5.3 2-4

6.2.5.4

6.2.5.5

6.2.6

6.2.6.1

6.2.6.2

6.2.7

6.2.7.1

6.2.7.2

6.2.7.3 65 80

6.3

6.3.1

6.3.1.1

6.3.1.2

6.3.1.3

6.3.1.4

6.3.1.5

6.3.2

6.4

6.4.1

6.4.2

6.4.3

6.4.4

6.4.4.1

6.4.4.2

6.4.4.3

6.4.4.4

6.4.4.5

6.4.4.6

6.4.4.7

7

7.1

7.2

7.3

7 4

	>		1000	>	>
6000		>	>		

7.5

,

7.5.1

7.5.2

7.5.4

7.5.5	1	1
-------	---	---

7.5.6

7.6

7.6.1

7.6.2

7.6.3

7.6.4	6
-------	---

7.6.5

NO.				
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				CAD
12				CAD
13				
14				
15				
16				
17				
U 1 3				

7.6.6

8.

8.1

8.2

8.3

2

24

48

8.4

12

24

8.5

30

2

2

/

3

8.6

8.7

9

9.1

9.1.1.

9.1.2.

9.1.3.

9.1.4.

9.1.5.

9.1.6.

9.2

9.2 .1.

9.2 .2.

9.2 .3.

9.2 .4.

10